clever – creative – sustainable – smart

utz
UPAL-I

The New 1200 x 800 x 150 mm Industry Pallet

utzgroup.com

utz UPAL-I

Developed for automatic conveyor systems

The new UPAL-I can be used on automatic conveyor systems without special pallet carrier systems or slave pallets.

The special design extends the service life of the UPAL-I and reduces operating costs as there is practically no wear. Conveyor systems are therefore not contaminated.

The pallets are 100% recyclable.

Special features of the new UPAL-I:
- The design of the runners underside ensures optimum running smoothness on conveyor belts and roller tracks
- Available in non-reinforced and reinforced versions
- Optional reinforcement on the 1200 mm or 800 mm side using steel profiles for support in high bay warehouses

- Smooth upper deck with or without outboard safety edge
- The full pallet area of 1200 x 800 mm can be used thanks to the outboard safety edge
- Ergonomically designed handles
- Optionally available with anti-slip grommets at the top and/or bottom
- Easily access with the forklift on all four sides
- Fields for hot stamping, labels, stickers or tool inserts
- Compatible with all stacking containers in Euro dimensions and space-saving containers
- Matching extension frames are available for the UPAL-I with smooth upper deck
- Producible in recycling material, electrically conductive material and FDA-approved material (new material)

The various versions

Steel reinforcement profiles for long and short sides

16 anti-slip grommets on the upper deck

Anti-slip grommets on the underside

Interrupted outboard safety-edge

The full pallet area of 1200 x 800 mm can be utilised

Technical details

External dim.:	1200 x 800 x 150 mm
Weight:	11 kg (non-reinforced)
Load bearing capacity:	
static:	6000 kg
dynamic:	1000 kg
racked	500 kg (non-reinforced)
	1250 kg (reinforced)
Options:	Anti-slip grommets and metal reinforcements

Compatible with: containers in Euro dimensions such as RAKO, EUROTEC, NESCO and others

Order no.	Upper deck
33-1208I-00-00-00	smooth
33-1208I-01-00-00	with outboard safety edge

33-1208I-01-00-00

33-1208I-00-00-00

Accessories

Order no.	Article
34-128-2000-00 R.1	Stacking frame, foldable, non-reinforced
34-128-2001-00 R.1	Stacking frame, foldable, reinforced
58-1208-2	Stacking frame euro*frame*, rigid
58-1208-1	Stacking frame euro*fold*, foldable

Ask for the respective brochures for the pallet frames.

34-128-2000-00 R.1   58-1208-2

Order no.	Article
40-1208	Cover
21-8030	Cover
53-01208-002	Cover with safety edge

40-1208   21-8030

53-01208-002

Utz production facility
Utz agent

utzgroup.com Georg Utz AG • Augraben 2-4 • 5620 Bremgarten • Switzerland
Phone +41 56 648 77 11 • Fax +41 56 648 79 12
info.ch@utzgroup.com • www.utzgroup.com

GUCH230312